

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("5704330"):PN	USPAT	OR	OFF	2005/02/08 15:34
L2	793	(123/90.27,90.34).CCLS.	USPAT	OR	OFF	2005/02/08 15:35
L3	328	2 and (lubricat\$3 oil)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/08 15:35
L4	67	3 and (cam with (cap holder))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/08 15:42
L5	261	3 not 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/08 15:53
S1	1	JP-62011294-\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/03 14:28
S2	0	JP-6211294-\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/10/07 14:06
S3	10761	oil adj feed	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/10/07 14:07
S4	369	(123/90.33).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/10/07 14:31
S5	15	(oil adj feed) and ((123/90.33).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/10/07 14:11
S6	16	cam adj bearing adj cap	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/10/07 14:12
S7	5	(cam adj bearing adj cap) and lubricat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/10/07 14:14

S8	688	cam with bearing with cap	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/10/07 14:14
S9	28	('43" with (oil lubricant\$5) with (valve with (head stem))) with (oil lubricant\$5) with (valve adj (head stem))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/10/07 14:19
S10	1	(cam with bearing with cap) with (oil lubricant\$5) with (valve adj (head stem))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/10/07 14:26
S11	1452	(oil lubricant\$5) with (valve adj (head stem))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/10/07 14:27
S12	1	(cam with bearing with cap) same ((oil lubricant\$5) with (valve adj (head stem)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/10/07 14:27
S13	8	(cam with bearing with cap) and ((oil lubricant\$5) with (valve adj (head stem)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/10/07 14:27
S14	369	(123/90.33).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/10/07 16:48
S15	4	("5080057" "5345898" "5758612" "6135074").PN	USPAT	OR	ON	2004/10/07 16:45
S16	516	tappet with lubricat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/10/07 16:48
S17	5	(tappet with lubricat\$3) with (carrier cap) with cam	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/10/07 16:48
S66	10886	oil adj feed	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/03 14:33
S67	18	S66 with (valve adj stem)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/03 14:29

S68	1118	oil adj feeder	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/03 14:33
S69	0	S68 with (valve adj stem)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/03 14:33
S70	2	S68 and (valve adj stem)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/03 14:35
S71	667	123/90.33	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/03 14:35
S72	156	S71 and (valve adj stem)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/03 14:35